The purpose of the Interdisciplinary Plan of Care is to ensure that optimal outcomes for the patient are met during the hospitalization. The Interdisciplinary Plan of Care allows a variety of disciplines (Nurses, Social Service, Respiratory Care, Acute Rehab, Pastoral Care, Nutrition) to share goals and interventions in one place in PowerChart. The Interdisciplinary Plan of Care is individualized for each patient and will change as the needs of the patient change.

IPOC Guidelines

- Every patient should have an IPOC initiated within the admitting shift by nursing.
- Upon Admission each patient should have a minimum of 3-5 goals with appropriate interventions initiated. The goals should be based on the reason for admission and how to get the patient to the next level of care. The Management Protocols will still be used as the standard of care.
- Document on the IPOC every shift in the **Document in Plan** tab on all unmet goals. Goals and interventions should be added or discontinued based on changes in the patient in **PowerOrders**.
- If a goal has been met but later needs to be added back to the plan of care, search and add the needed goal and/or intervention. This will show the progression of the plan of care for the patient.
- Charts will be audited for compliance.
- The IPOC must be reviewed prior to patient discharge or when a patient transfers to another level of care (to be done by the accepting unit) to ensure that any unmet goals have been addressed. It is not required that goals are met at discharge, but they should have a documented reason why they are not met.

Short Stay and Observation Patients

Short stay patients, not spending the night at the hospital, do not need an IPOC. Every patient with an overnight observation stay needs a care plan that addresses basic goals that will return them to baseline (e.g. eat, urinate, walk and have adequate pain control).

Ancillary Services

Ancillary services will:

- Contribute to the IPOC on consulted patients
- Review current goals and interventions that exist on the **Document in Plan** tab prior to initiating new ones
- Be responsible for updating and documenting goals relevant to their service in collaboration with nursing

	Table of Contents	Page Number
٠	How to Find & Accept a Plan of Care	2
٠	Appearance of Plan of Care	3
٠	How to View Related Results	6
٠	How to Individualize a Plan of Care	7
	 Select from Listed Components 	7
	 Search in Add to Phase 	7
	 Modify Free Text component 	8
٠	How to Initiate a Plan of Care	9
٠	How to Add Components After Initiation	11
٠	How to Initiate Multi Phase IPOC	12
٠	How to Document in Plan	13
	 Indicator Outcomes Show I-View Results 	13
	 Outcomes/Interventions 	14
	 Outcome Variance 	15
٠	How to Discontinue or Void a Component or Plan of Care	16

How to Find & Accept a Plan of Care



Sector PowerOrders		
Add Document Medication by Hx Reconciliation Add Wiew Orders for Signature Plans Document In Plan Medical TRAIN Med Admit (Initiated) Suggested Plans (12) Interdisciplinary - IPOC IPOC - Cardia (3/12/2013 13:35) IPOC - Endocrine (3/12/2013 13:35) IPOC - Misculoseletal (3/12/2013 13:35) IPOC - Neuro MP (3/12/2013 13:35) IPOC - Pain (3/12/2013 13:35) IPOC - Pain (3/12/2013 13:35) IPOC - Neuro MP (3/12/2013 13:35) IPOC - Neuro MP (3/12/2013 13:35) IPOC - Pain (3/12/2013 13:35) IPOC - Pain (3/12/2013 13:35) IPOC - Pain (3/12/2013 13:35) IPOC - Neuro MP	eck Interactions 3. Su pa pa pa pa pa pa pa pa pa pa	uggested Plans appear in PowerOrders when the atient is admitted. You can select one or more POCs, as needed by the patient. Notice the arious titles. Other disciplines may be selecting dditional IPOCs for this hospitalization. IP: If you cannot find the IPOC you need in the uggested Plans folder, click the +Add button at op left.
IPOC - PsychoSocial (3/12/2013+9:35) IPOC - Pulmonary MP (3/12/2013 13:35) IPOC - Safety (3/12/2013 13:35) IPOC - Skin and Wound (3/12/2013 13:35) IPOC - Spiritual (3/12/2013 13:35)	Care 66° 7 O2 Initiation	in Standard Ordered 04/15/13 : 92% sician Ordered 04/15/13 : 92%
Orders Code Status / Condition Procedures Activity Precautions	🗹 66' 🗭 Notify Physe	Click on the desired IPOC, such as Pain.
Communication Communication Clagnoses & Problems Related Results Formulary Details Dx Table	Orders For Cosignature Ur	The IPOC will appear at the right.

< 🔹 🔹 🏦 PowerOrders

🕂 Add | 🍶 Document Medication by Hx | Reconciliation 🔻 🐎 Check Interactions | 🛅 External Rx History | No Check 💌

🕒 Meds History 😲 Adm. Meds Rec 😲 Disch. Meds Rec

2 6 minute:



Appearance of Plan of Care



~₩ (🛇 🕂 Add to Ph 👂 💲 🛛 🕅	ase - Start: Now	Duration: None	 Statu	IS	Order Comm	Dose	Details 📩
	Pain (Plannec Itcomes	Pending)	or Equal 4 te pain relief					During Phase By Phase End
		 Patient experiences mill Patient/Family exhibits Patient demonstrates n functional status 	ainta side effects satisfaction with pain ma aintenance or improver	anagement 4.	Outcomes organized i	and Inter	ventio s.	ns are
		 Freetext Goal Freetext Goal Freetext Goal 			The 1 st colu	ımn disnlı	ave a b	
	terventions	 Pain medication alterna Patient prefers to be an available at night 	ed to provide optimal co vakened when prn pain	overage medication	check if you	u wish thi	s comp	ponent to be
	Ð	Pt using PCA/Epidural/ level Pt/family involved in pa	n Q-Ball to achieve acce n management plan	eptable pai	Initiated.			e when
		Alternative non-medica (specify) Pain medication deliver	ion pain management p devices will remain inta	rovided				During Phase
<	ataile)				>
	Details Dx Table Orders For Cosignature Orders For Nurse Review X: Initiate Sign							

Add Add Add Add Add Add Add A	to Phase • Start: Now Duration: None Component Component Component Image: Component Patient Pending) Patient exhibits adequate pain relief Patient experiences minimal side effects Patient experiences minimal side effects Patient/Family exhibits satisfaction with pain management Patient demonstrates maintenance or improvement in functional status Freetext Goal Freetext Goal Freetext Goal Patient prefers to be awakened when prn pain medication available at night Patient prefers to be awakened when prn pain medication available at night Pt using PCA/Epidural/On Q-Ball to achieve acceptable pain level Pt/family involved in pain management plan Pain medication delivery devices will remain intact and functional - Done	 5. The Component column displays the Outcome/Intervention description, including specific results needed to meet the goal. It is preceded by an identifying icon: Target Goal/Outcome Indicator: This type of outcome is related to results that are documented in I-View, such as Pain Score. Intervention in response to patient assessment.
Dy Table	Orders For Costanature Orders For Nurse Beview	Of Initiate Sign

🍖 🚫 🕂 Add to Phase - Start: 4/15/2013 18:4€ Stop: None		
S S Component	Status petails	
IPOC - Pain (Initiated)		
6. The <i>Status</i> column will appear		
empty when the IPOC is first	4/15/2013 Activated, 4/1 18:46	5/2013 18:46 - Phase End
Initiated. Then as information is	✔ 4/15/20	
shorted in the Dian of Care and L	X 4/15/2013 Activated, By 18:47	Phase End
charted in the Plan of Care and I-	✓ 4/15/2013 Activated, By	Phase End
View, this column will display most	18:47	Phase End
recent date/time when results were	18:47	
charted, and whether results meet	✓ 4/15/2013 Activated, 4/1	5/2013 18:46 - Phase End
target range of the outcome or	18:47	
intervention.	4/15/2013 Activated, 4/1 18:47	5/2013 18:46 - Phase End
Details		
Dx Table Orders For Cosignature Orders For Nurse Review		Orders For Signature
🍖 🚫 🕂 Add to Phase - Start: 4/15/2013 18:4€ Stop: No	ne	
S Component	Status Details	
Last updz		
7. The <i>Details</i> column displays Date		
Activated (or Discontinued) and c	lue date	ed, 4/15/2013 18:46 - Phase End
for achievement, for example, By	Phase ²⁰	
End (by end of bospitalization) or	2013 Activat	ed, By Phase End
Bhase (during hospitalization)	2013 Activat	ed, By Phase End
	2013 Activat	ed. By Phase End
	(2012 Astruct	ad 4/15/2012 19:44 Dhave Fed
	10:47	eu, 4/15/2013 16:46 - Pilase chu
Patient prefers to be awakened when pain medication available at pipht	prn 🖌 4/15/2013 Activati 18:47	ed, 4/15/2013 18:46 - Phase End
	10/17	
Totails		

How to View Related Results

After an IPOC has been Accepted, results related to that IPOC appear for your review as you are creating the Plan of Care.



< 🔹 🖌 🛉 PowerOrders

🕂 Add | 🥒 Document Medication by Hx | Reconciliation 🛛 🔈 Check Interactions | 🛅 External Rx History | No Check 🕶 🕒 Meds History 🕒 Adm. Meds Rec 🕒 Disch. Meds Rec Orders Medication List Document In Plan 😪 🚫 🕂 Add to Ph I 2. Double click on specific result to see more View & \$ IPOC - Skin and Wo Details. Related Results (7) Outcomes Sensory Perception No Impairment 4/15/2013 17:00 Activity Status 🖲 Adequat Walks Occasionally 4/15/2013 17:00 or wound By Phase End heal Nutrition Г ion to promote wound By Phase End Probably Inadequate 4/15/2013 17:00 Moisture sence of Erythema and Skin Breakdown By Phase End Very Moist 4/15/2013 17:00 Absence of Pressure Ulcer By Phase End Mobility Adequate Circulation Bony Prominences By Phase End Slightly Limited 4/15/2013 17:00 Manage Incontinence and moisture to By Phase End minimize irritation Friction and Shear Mobilize for increase circulation to skin By Phase End No Apparent Problem 4/15/2013 17:00 pressure areas Braden Skin Score 🧿 Adequate nutrition and hydration for skin By Phase End 17 4/15/2013 17:00 integrity 📱 🧿 Minimize Shear and Friction By Phase End Interventions Speciality bed that will minimize pressure to During Phase ▲ Details Formulary Details Orders For Cosignature Orders For Nurse Review 🔆 Initiate 🛛 Sign

€ 5 minutes ago

Care Plans-IPOC (Interdisciplinary Plans of Care) How to Individualize a Plan of Care

- Select from Listed Components
- Search in Add to Phase
- Modify Freetext Components



¶⊗ +	Add to Phase 🕶	Start: Now	Duration: No	ne	
s and a second s	Add Order				Status
IPOC - P	Add Outcome	e / Intervention			
	Add Prescript	ion	Equal 4	3. Click Add	l Outcome /
	0	Patient exhibits adequat	e pain relief	merven	
	🔽 🛛 🖟 🧿 Patient experiences minir				
Patient/Family exhibits s			atisfaction with pa	ain management	
	0	Patient demonstrates ma functional status	aintenance or impr	rovement in	
	0	Freetext Goal			
	0	Freetext Goal			
	0	Freetext Goal			
8 Interven	tions				

4. Type keyword in Search field. AMED4E, ADAM - Add Outcome X Search Mode: Keyword 5. Click Search. Search within: All Search pain Clinical Category: ~ Acceptable Pain at Rest - Met. 6. Click to highlight [Document In Plan] desired component. Acceptable Pain with Activity - Met. Alternative non-medication pain management wided (specify) - Done 📕 Collab to Reduce Pain Med Dose if Needed - Done [Document In Plan | Patient-Specific] 7. Click OK. Demonstrate no signs of chest pain - Met [Document In Plan] 🌇 Ed-Pain Goal Setting - Verbalizes Understanding or Demonstrates [Pro-Active Optional] ¥ <u>C</u>ancel <u>o</u>ĸ

🟀 🚫 🕂 Add to Phase	• ▼ Start: Now	Duration: None 🛄			
S \$ 7	Component		Status	Order Comm Dose .	Details 🔷
	Freetext Goal			· · · · · · · · · · · · · · · · · · ·	By Phase End
Interventions					
	Pain medication alternated	l to provide optimal covera	ge		During Phase
	Patient prefers to be awa available at night	kened when prn pain medic	ation		During Phase
	Pt using PCA/Epi 8. level	Modify Freete	ext component:		During Phase
V 🛛 🖉) Pt/family involve	First click in ch	ieck box.		During Phase
	Alternative non- (specify)	-			During Phase
	Pain medication and a second sec	evices will remain intact an	4		During Phase
	Freetext Intervention				During Phase 🛛 🗧
	Freetext Intervention				During Phase
	Freetext Intervention				During Phase
	Collab to Reduce Pain Med	Dose if Needed			During Phase
					~
<					>
Tetails					
Dx Table Orders	For Cosignature Orders	For Nurse Review		(🔆 Initiate 🛛 Sign

1	rancional pono		,	
	🔽 🚺 Freetext Intervention			
1	🗖 🗾 🖬 Freetext Intervention	Modify	9. Right click on line	
	Freetext Intervention		10. Left click on Modify .	

1				
🔽 🚺 Freete	ext Intervention	11. In <i>Details</i> panel at bottom, delete <freetext< th=""></freetext<>		
🔲 🚺 Freete	ext Intervention			
🗖 🚺 🖬 Freete	ext Intervention	Intervention>, and type specific Outcome or		
🗹 🚺 Collab	to Reduce Pain Med Dose if Needed	Intervention in Description field. When <i>Details</i> is		
<	III III			
✓ Details Output: Section Details () Control Contro	Offset Details	Collapsed, new component becomes part of Plan of Care.		
Description	Freetext Intervention			
Outcome Duration				
Duration Unit		•		
Dx Table Orders For Cosignature Orders For Nurse Review				

How to Initiate a Care Plan

😤 🛇 🕂 Ac	dd to Ph	ase - Start: Now Duration: None	
& \$	7	Component Status Order Comm Dose	Details 📩
🗄 Outcomes			
		🌇 Pain Score - Less Than or Equal 4	During Phase
		🧿 Patient exhibits adequate pain relief	By Phase End
	,	🧿 Patient experiences minimal side effects	By Phase End
		🧿 Patient/Family exhibits satisfaction with pain management	By Phase End
		 Patient demonstrates maintenance or improvement in functional status 	By Phase End
		📀 Freetext Goal	By Phase End
		🧿 Freetext Goal	By Phase End
		🧿 Freetext Goal	By Phase End 📃
🗄 Interventio	ns		
		Pain medication alternated to provide optimal coverage	During Phase
		Patient prefers to be awakened when prn pain medication available at night	During Phase
		Pt using PCA/Epidural/On Q-Ball to achieve acceptable pain level	During Phase
	P	Pt/family involved in pain management plan	During Phase
	2	Alternative non-medication pain management provided (specify)	During Phase
	2	Pain medication delivery devices will remain inter functional - Done I. Click Initiate button	During Phase
		Prefers room lights to be off.	During Phase 🛛 🗸
<			>
▲ Details			
Dx Table	Ord	ers For Cosignature Orders For Nurse Review	itiate Sjgn

🟀 🚫 🕂 Add t	D Phase - Start: 4/15/2013 15:19 Duration: None	
& \$	V Component Status Order Comm Dose	Details 🔷
Outcomes		
	🌇 Pain Score - Less Than or Equal 4	During Phase
. @:	🧿 Patient exhibits adequate pain relief	By Phase End
. @:	O Patient experiences minimal side effects	By Phase End
	🧿 Patient/Family exhibits satisfaction with pain management	By Phase End
	O Patient demonstrates maintenance or improvement in functional status	By Phase End
	💿 Freetext Goal	By Phase End
	💿 Freetext Goal	By Phase End
	🧿 Freetext Goal	By Phase End 📃
\blacksquare Interventions		
<u>.</u> @:	Pain medication alternated to provide optimal coverage	4/15/2013 15:19 -
	Patient prefers to be awakened when prn pain medication available at night	During Phase
	Pt using PCA/Epidural/On Q-Ball to achieve acceptable pain level	During Phase
- `Q` -	📴 🗾 Pt/family involved in pain management plan	4/15/2013 15:19 -
	Alternative non-medication pain management r (specify)	During Phase
	Pain medication delivery devices will remain international - Done	During Phase
. @:	📝 Prefers room lights to be off.	4/15/2013 15:19 - 🤜
<		>
T Details		
Dx Table	Orders For Cosignature Orders For Nurse Review	itiate Sign



Care Plans-IPOC (Interdisciplinary Plans of Care) How to Add Components After Initiation



Orders Medication List Document In Plan		
	🌾 🚫 🕂 Add to Phase - Start: 4/15/20 <u>13 15:1</u> Stop: None	
View		
📮 Plans 🔨	Click the light hu	Ih icon again to
- Document In Plan	IPUL - Pain (Initiated) 4. CIICK LITE IIgITL DU	ID ICOIT again to
 Medical 	Last updated on: 4/15/2013 16:21	
TRAIN Med Admit (Initiated)		uded Components
Interdisciplinary - IPOC	📀 Patient exhi	
IPOC - Pain (Initiated)	from view	
Suggested Plans (11)	Patient expl	
Interdisciplinary - IPOC		
- IPOC - Cardiac (3/12/2013 13:35)	O Patient/Family exhibits satisfaction with pain	Activated, By Phase End
- IPOC - Endocrine (3/12/2013 13:35)	management	
- IPOC - GI/GU (3/12/2013 13:35)	Interventions	
- IPOC - Musculoskeletal (3/12/2013 13:	Pain medication alternated to provide optimal coverage	Activated, 4/15/2013 15:19 - Phase End
- IPOC - Neuro MP (3/12/2013 13:35)		
- IPOC - Nutrition (3/12/2013 13:35)	Patient prefers to be awakened when prn pain	Activated, 4/15/2013 16:21 - Phase End
- IPOC - PsychoSocial (3/12/2013 13:35)	medication available at night	
- IPOC - Pulmonary MP (3/12/2013 13:3	Pt/family involved in pain management plan	Activated, 4/15/2013 15:19 - Phase End
- IPOC - Safety (3/12/2013 13:35)		
- IPOC - Skin and Wound (3/12/2013 13:	Prefers room lights to be off.	Activated, 4/15/2013 15:19 - Phase End
IPOC - Spiritual (3/12/2013 13:35)		
Orders	Collab to Reduce Pain Med Dose if Needed	Activated, 4/15/2013 15:19 - Phase End
- Code Status / Condition		
Procedures		
Δrtivity 🞽		
Diagnoses & Problems	Totals	
Related Results (1)		
Formulary Details	Dx Table Orders For Cosignature Orders For Nurse Review	Orders For Signature

How to Initiate Multi Phase IPOC



How to Document in Plan

- Indicator Outcomes Show I-View Results
- Target Outcomes/Interventions
- Outcome Variance



< > 🝷 🏦 PowerOrders		📄 Print ಿ 2 minutes ago
🕂 Add 🎝 Document Medication by Hx Reconciliation 🔻 🚴 Check Interactions 📴 Exteri	nal R× History No Check 🕶	Status Made History 🙆 (dm. Made Ber 💭 Disch. Made Ber
Orders Medication List Document In Plan		Theus History TAuni, meus Ret Tobich, meus Ret
Description Last Evaluated	Target Status	Outcome Description
IPUL - Pain (Initiated) 4/15/2013 15:19	Desce End	Pain Score
4 4/15/2013 16:32	Priase Ellu	4
8 ¥4/15/2013 16:26		
O Patient exhibits adequate pain relief	By Phase End 🔥	
B O Patient experiences minimal side effects	By Phase End	Performed By: TRNNURSEIP1 RN, TRAIN Performed On: 4/15/2013 16:32
O Patient/Family exhibits satisfaction with pain	By Phase End	
management	Phase End	
A list of recent recults appears	/ hass 2110	Outcome 📉 🦉 🏢
4. A list of recent results appear:	Phase End	
	5 Click on a specific	result to highlight it and see
Green check mark - indicates	J. Click off a specific	result to highlight it and see
	more information	in Outcome Description, such
result meets Outcome criteria		the decumentation
	as who performed	the documentation.
Red X - indicates result does not		
meet Outcome criteria		
6. Target Outcomes/Interventions: To document Target Outcomes and Intervention	ons,	escription box opens at right. red Description (met, progressing,
click on title of component	not met). O	nly one selection can be made.
	al Rx History No	
Orders Medication List		
Description Last Evaluated	Target Status	Outcome Description
□ IPOC - Pain (Initiated) 4/15/2013 15:19		Patient exhibits adequate pain relief
⊞ 🐘 Pain Score - Less Than or Equal 4 🖌 4/15/2013 16:32	Phase End	
+ OPatient exhibits adequate pain relief	By Phase End 🛞	Met
🔢 🔋 🧿 Patient experiences minimal side effects	By Phase End 🖌	O Progressing
OPatient/Family exhibits satisfaction with pain management	By Phase End 🖌	
Pain medication alternated to provide optimal	Phase End	
Coverage Patient prefers to be awakened when prn pain Patient prefers to be awakened when prn pain	Phase End	жини јин јини жи
megication available at hight J pt/family involved in pain management plan	Phase End	Outcome Note 😵 🔢
Prefers room lights to be off.	Dhara End A	
Complete require	ad Date and Time fields	
o. complete require		





How to Discontinue the Care Plan

- Discontinue a Component or IPOC when no longer appropriate
- Void a Component or IPOC when entered in error



			,	
P Disco	ntinue - IPOC - Pain			
Кеер	Component	Status	Order Details	
Outcomes	;			
	Pain Score - Less Than or	Activated	^{4/15/2013} 2.	Discontinue window
	Patienc pain relief - Mec			opens. Before you click OK,
	OPatient experiences minimal side effects - Met			be careful NOT to click a box
	Patient/Family exhibits satisfaction with pain management - Met	Activated	The second secon	in the <i>Keep</i> column. If an Outcome or Intervention
Intervent	ions			needs to remain active do
	Pain medication alternated to provide optimal coverage - Done	Activated	4/15/201:	NOT Discontinue the entire
	Patient prefers to be awakened when prn pain medication available at night - Done	Activated	4/15/201:	IPOC, but Discontinue only the specific Outcomes and
	Pt/family involved in pain management plan - Done	Activated	4/15/2013	Interventions in it that are
	Prefers room lights to be off Done	Activated	4/15/2013 15:	
	Collab to Reduce Pain Med Dose if Needed - Done	Activated	4/15/2013 15:19 -	Phase End
3. CIICK UK .				

< 🔹 🕇 PowerOrders	👼 Print 🎨	l minutes ago		
+ Add & Document Medication by Hx Reconciliation * hcheck Interactions abexternal Rx History No Check *				
Orders Medication List Document In Plan				
View	V Start: 4/15/2013 15:11 Stop: 4/15/2013 17:3			
-Plans	Normal Status Details	^		
Document In Plan	IPOC - Pain (Discontinued Pending)			
Medical	Last updated on: 4/15/2013 16:26 by: TRNNURSEIP1 RN, TRAIN			
TRAIN Med Admit (Initiated)	Outcomes			
Interdisciplinary - IPOC	⊞ : ﷺ Pain Score Loss Than or Equal 4 ✓ 1/15/2013 Discontinue, 1/15/2013 16:26 1/15/2013 17:32 16:32			
 Suggested Plans (11) 	B B Co Patient exhibits adequate pain relief ✓ 4/15/2013 Discontinue, By 4/15/2013 17:32 17:40			
□-Interdisciplinary - IPOC				
TPOC - Cardiac (3)12/2013 13:35)	B V Padene experiences minimal side effects Discontinue, By 1/15/2013 17/32			
- IPOC - Endocrine (3)12/2013 13:35)				
- IPOC - GI/GU (3/12/2013 13:35)	Parbagenet			
TPOC - Musculoskeletal (3) 12/2013 13:				
- IPOC - Neuro MP (3)12/2013 13:35)				
- IPOC - Nutrition (3/12/2013 13:35) - IPOC - PsychoSocial (3/12/2013 13:35)	Pain medication alternated to provide optimal- Discontinue, 4/15/2013 15:19 4/15/2013 17:32 coverage			
IPOC - Pulmonary MP (3/12/2013 13:35 IPOC - Safety (3/12/2013 13:35)	Patient prefers to be awakened when pm- Discontinue, 4/15/2013 16:21 - 4/15/2013 17:32 pain medication available at night			
- IPOC - Skin and Wound (3/12/2013 13:	Pt/family involved in pain management plan Discontinue, 1/15/2013 15:19 1/15/2013 17:32			
Code Status / Condition	Prefers room lights to be off.			
Procedures	Collab to Reduce Pain Med Dose if Needed	~		
Diagnagas & Drahlams				
Diagnoses & Problems				
Formulary Details	Dx Table Orders For Cosignature Orders For Nurse Review	Sjgn		

< > 🝷 者 PowerOrders				🗍 Print 💸 5 minutes ago
Add @ Document Medication by Hx Recon Orders Medication List Document In Plan	ciliation 🕶 🔊 Cheo	:k Interactions <mark>]</mark> eExterna	I Rx History │ No Check ▼	Status Madu scory Adm. Meds Rec Disch. Meds Rec
View Plans Document In Plan Medical Interdisciplinary - IPOC INCC - Pain (Processing) Suggested Plans (11) Interdisciplinary - IPOC IPOC - Cardiac (3/12/2013 13:35)	 S S 	Compor	5. Click Refresh .	Details resh.

< 🔹 🖌 🏠 PowerOrders	(🗐 Print 👌 O minutes ago
+ Add Document Medication by Hx Reconciliation Check Orders Medication List Document In Plan		Discontinued.	Status Meds History ④ Adm. Meds Rec ④ Disch. Meds Rec
View	N Start:	47137 Stop: 471372013 17:3. Component Component	Status Details
Document In Plan Orderal	IPOC - Pain (Dis Last updated or	continued) :: 4/15/2013 17:33 by: TRNNURSEIP1 RN, TF	RAIN
Interdisciplinary - IPOC IPOC - Pain (Discontinued)	⊞	🌇 Pain Score - Less Than or Equal 4	4/15/2013 Discontinued, 4/15/2013 16:26 - 4/15/2013 17:33 16:32
Suggested Plans (11) Interdisciplinary - IPOC	⊞	Patient exhibits adequate pain relief	f 🖌 4/15/2013 Discontinued, By 4/15/2013 17:33 17:27
- IPOC - Cardiac (3/12/2013 13:35) - IPOC - Endocrine (3/12/2013 13:35)		Patient experiences minimal side effective	ects Discontinued, By 4/15/2013 17:33
IPOC - GI/GU (3/12/2013 13:35)		Patient/Family exhibits satisfaction v management	with pain Discontinued, By 4/15/2013 17:33